Volume 03, Issue 12, December 2024

Polylactic Acid (PLA): An Eco-Friendly Plastic to Fight Climate Change and Plastic Waste

Ashana Pal¹, Neelam Pal²

¹Research Scholar, Department of Chemistry. V. S. S. D. College, Kanpur ²Assistant professor, Department of Chemistry. V. S. S. D. College, Kanpur

Received: 24 Oct 2024 Accepted & Reviewed: 25 Oct 2024, Published : 31 Dec 2024

<u>Abstract</u>


The increasing environmental concerns surrounding plastic pollution and climate change have sparked the need for sustainable alternatives to traditional plastics. Polylactic Acid (PLA), a biodegradable plastic derived from renewable resources, offers a promising solution. This article examines the production, properties, applications, and environmental benefits of PLA, highlighting its role in reducing plastic waste and mitigating the effects of climate change. Furthermore, it explores the challenges PLA faces in replacing petroleum-based plastics and the future prospects for its widespread adoption.

Keywords: Plastic Pollution, Packaging, Biodegradable plastic, Polylactic Acid

Introduction


Plastic pollution and climate change are two of the most pressing environmental issues today. Conventional plastics, primarily derived from fossil fuels, contribute to both problems due to their non-biodegradable nature and carbon-intensive production processes. Polylactic Acid (PLA) has emerged as a sustainable alternative, gaining attention as a bioplastic with the potential to reduce plastic waste and carbon emissions. PLA is made from natural resources like corn, sugarcane, or cassava, making it renewable and biodegradable. As it can break down under industrial composting conditions, PLA is seen as a key player in the transition toward eco-friendly materials. This research article investigates the role of PLA in addressing environmental challenges, with a focus on its production, applications, and potential to combat plastic pollution and climate change.

Production of Polylactic Acid (PLA)- PLA is produced through the fermentation of starches or sugars extracted from renewable plant sources such as corn and sugarcane. The fermentation process converts these sugars into lactic acid, which is then polymerized to form polylactic acid. Compared to the production of petroleum-based plastics, PLA manufacturing has a lower carbon footprint, as it relies on renewable resources rather than finite fossil fuels.




One of the advantages of PLA is its relatively low environmental impact during production. The carbon dioxide (CO_2) emitted during the manufacturing process is partially offset by the CO_2 absorbed by the plants during their growth, making PLA a more sustainable option compared to conventional plastics.

Properties of PLA



PLA has several properties that make it suitable for a variety of applications. It is clear, stiff, and has similar properties to petroleum-based plastics like polyethylene (PET) and polystyrene (PS). PLA is also biodegradable under industrial composting conditions, breaking down into water and carbon dioxide within a few months, depending on the environment. However, PLA also has some limitations. It has a lower heat resistance compared to traditional plastics, which limits its use in high-temperature applications. Additionally, while PLA is biodegradable, it requires specific conditions, such as high temperatures in industrial composting facilities, to decompose effectively. In natural environments like oceans or landfills, PLA may take years to break down.


Applications of PLA- PLA is used in a wide range of industries, from packaging to medical devices. Its biodegradability makes it an attractive material for single-use items like food containers, disposable cutlery, and packaging films. In the medical field, PLA is used for making sutures, stents, and drug delivery systems due to its biocompatibility and ability to degrade within the body.



A MONTHLY, OPEN ACCESS, PEER REVIEWED (REFEREED) INTERNATIONAL JOURNAL Volume 03, Issue 12, December 2024

PLA is also gaining popularity in 3D printing, where it serves as a filament for producing a variety of products. Its ease of printing, low cost, and eco-friendly properties make it a preferred material for environmentally conscious manufacturers and hobbyists.

Environmental Benefits of PLA- One of the key environmental benefits of PLA is its ability to reduce plastic waste. Traditional plastics take hundreds of years to degrade, leading to the accumulation of plastic waste in oceans and landfills. PLA, being biodegradable under the right conditions, helps reduce the environmental burden of plastic waste.



Additionally, PLA's reliance on renewable resources for production reduces the demand for fossil fuels. This shift away from petroleum-based plastics can help lower greenhouse gas emissions, contributing to the fight against climate change. By using plants as raw materials, PLA production can create a more sustainable lifecycle for plastic products.

Conclusion- Polylactic Acid (PLA) presents a sustainable alternative to traditional plastics, with the potential to reduce plastic waste and combat climate change. Its biodegradability and reliance on renewable resources make it an attractive option for environmentally conscious consumers and industries. However, challenges such as the need for industrial composting and higher production costs must be addressed for PLA to become a mainstream solution.

As innovation continues in the development of bioplastics, PLA has the potential to play a significant role in reducing our dependence on petroleum-based plastics and contributing to a cleaner, greener planet. The transition to eco-friendly materials like PLA is a crucial step in tackling the global challenges of plastic pollution and climate change.

References:-

1. Auras, R., Lim, L. T., Selke, S. E., & Tsuji, H. (Eds.). (2010). Poly(Lactic Acid): Synthesis, Structures, Properties, Processing, and Applications. John Wiley & Sons.

2. Sin, L. T., Rahmat, A. R., & Rahman, W. A. W. A. (2012). Polylactic Acid: PLA Biopolymer Technology and Applications. William Andrew Publishing.

3. Jamshidian, M., Tehrany, E. A., Imran, M., Jacquot, M., & Desobry, S. (2010). Poly-Lactic Acid: Production, Applications, Nanocomposites, and Release Studies. Comprehensive Reviews in Food Science and Food Safety, 9(5), 552-571.

IDEALISTIC JOURNAL OF ADVANCED RESEARCH IN PROGRESSIVE SPECTRUMS (IJARPS) A MONTHLY, OPEN ACCESS, PEER REVIEWED (REFEREED) INTERNATIONAL JOURNAL Volume 03, Issue 12, December 2024

4. Madhavan Nampoothiri, K., Nair, N. R., & John, R. P. (2010). An Overview of the Recent Developments in Polylactide (PLA) Research. Bioresource Technology, 101(22), 8493-8501.

5. Groot, W. J., & Borén, T. (2010). Life Cycle Assessment of the Manufacture of Lactide and PLA Biopolymers from Sugarcane in Thailand. The International Journal of Life Cycle Assessment, 15(9), 970-984.

6. Drumright, R. E., Gruber, P. R., & Henton, D. E. (2000). Polylactic Acid Technology. Advanced Materials, 12(23), 1841-1846.

7. Song, J. H., Murphy, R. J., Narayan, R., & Davies, G. B. (2009). Biodegradable and Compostable Alternatives to Conventional Plastics. Philosophical Transactions of the Royal Society B: Biological Sciences, 364(1526), 2127-2139.

8. Garlotta, D. (2001). A Literature Review of Poly(Lactic Acid). Journal of Polymers and the Environment, 9(2), 63-84.

9. Lim, L. T., Auras, R., & Rubino, M. (2008). Processing Technologies for Poly(Lactic Acid). Progress in Polymer Science, 33(8), 820-852.

10. Reddy, N., & Yang, Y. (2011). Biodegradable Poly(Lactic Acid): Synthesis, Modification, Processing, and Applications. Polymer International, 60(1), 45-46.

11. Tsuji, H. (2005). Poly(Lactic Acid) Crystallization. Macromolecular Bioscience, 5(7), 569-597.

12. Martin, O., & Averous, L. (2001). Poly(Lactic Acid): Plasticization and Properties of Biodegradable Multiphase Systems. Polymer, 42(14), 6209-6219.

13. Vink, E. T., Rabago, K. R., Glassner, D. A., & Gruber, P. R. (2003). Applications of Life Cycle Assessment to NatureWorksTM Polylactide (PLA) Production. Polymer Degradation and Stability, 80(3), 403-419.

14. Pillai, C. K. S., & Sharma, C. P. (2010). Review Paper: Absorbable Polymeric Surgical Sutures: Chemistry, Production, Properties, Biodegradability, and Performance. Journal of Biomaterials Applications, 25(4), 291-366.

15. Luckachan, G. E., & Pillai, C. K. S. (2011). Biodegradable Polymers- A Review on Recent Trends and Emerging Perspectives. Journal of Polymer and the Environment, 19, 637-676.

16. Hottle, T. A., Bilec, M. M., & Landis, A. E. (2013). Sustainability Assessments of Bio-Based Polymers. Polymer Degradation and Stability, 98(9), 1898-1907.

17. Anderson, K. S., & Hillmyer, M. A. (2008). The Influence of Block Copolymer Microstructure on PLA Crystallization and Properties. Journal of Applied Polymer Science, 107(6), 3676-3685.